

**NATIONAL ORAL HEALTH PLAN
MONITORING GROUP**

**KEY PROCESS AND OUTCOME
PERFORMANCE INDICATORS
FIRST FOLLOW-UP REPORT 2002-2005**



**ARCPOH
NOVEMBER 2007 REVISED**



Action Area One – Population Oral Health


Process Indicators	Population Oral Health
<p>Indicator 1: National Oral Health Surveys undertaken regularly</p> <p>Source: ARCPOH at The University of Adelaide in collaboration with States and Territories/Australian Dental Association</p> <p>Baseline: National Survey of Oral Health in Australia 1987/88</p> <p>Status: National Survey of Adult Oral Health 2005/06 report published March 2007 Proposed National Survey of Child Oral Health 2009/10</p>	<p>Comment.</p> <p>National Oral Health Surveys of adults and children have been proposed on an alternative 5 year cycle. The National Survey of Adult Oral Health 2005/06 has been completed and the first report was released on 17 March 2007. Slade GD, Spencer AJ, Roberts-Thomson KF (eds). Australia's dental generations: The National Survey of Adult Oral Health 2004–06. Canberra</p> <p>A National Survey of Child Oral Health has been proposed for 2009/10.</p>

Process Indicators	Population Oral Health																																											
<p>Indicator 2: The proportion of the population with access to optimally fluoridated water supplies</p> <p>Sources: ABS data on Estimated Resident Population by postcode; State/Territory water and public health authorities on fluoridation status, compiled by ARCPOH.</p> <p>Baseline: 69.1% coverage in 2003</p> <p>Status: Documented by ARCPOH. Active programmes to extend water fluoridation in NSW, Victoria and Queensland.</p>	<p>2003</p> <p>Percentage of the population residing in areas with different fluoride levels in the public water supply.</p> <table border="1" data-bbox="584 331 1474 801"> <thead> <tr> <th rowspan="2"></th> <th colspan="3">Water fluoridation categories</th> </tr> <tr> <th>0.0 – < 0.3</th> <th>0.3 – < 0.7</th> <th>≥ 0.7 mg/L</th> </tr> </thead> <tbody> <tr> <td>New South Wales</td> <td>9.7</td> <td>0.5</td> <td>89.8</td> </tr> <tr> <td>Victoria</td> <td>24.1</td> <td>0.6</td> <td>75.3</td> </tr> <tr> <td>Queensland</td> <td>95.3</td> <td>0.0</td> <td>4.7</td> </tr> <tr> <td>South Australia</td> <td>9.8</td> <td>7.6</td> <td>82.6</td> </tr> <tr> <td>Western Australia</td> <td>8.1</td> <td>1.8</td> <td>90.1</td> </tr> <tr> <td>Tasmania</td> <td>5.3</td> <td>0.0</td> <td>94.7</td> </tr> <tr> <td>Northern Territory</td> <td>15.8</td> <td>75.0</td> <td>9.2</td> </tr> <tr> <td>Aust. Capital Territory</td> <td>0.0</td> <td>0.0</td> <td>100.0</td> </tr> <tr> <td><i>Australia</i></td> <td><i>29.1</i></td> <td><i>1.8</i></td> <td><i>69.1</i></td> </tr> </tbody> </table>		Water fluoridation categories			0.0 – < 0.3	0.3 – < 0.7	≥ 0.7 mg/L	New South Wales	9.7	0.5	89.8	Victoria	24.1	0.6	75.3	Queensland	95.3	0.0	4.7	South Australia	9.8	7.6	82.6	Western Australia	8.1	1.8	90.1	Tasmania	5.3	0.0	94.7	Northern Territory	15.8	75.0	9.2	Aust. Capital Territory	0.0	0.0	100.0	<i>Australia</i>	<i>29.1</i>	<i>1.8</i>	<i>69.1</i>
	Water fluoridation categories																																											
	0.0 – < 0.3	0.3 – < 0.7	≥ 0.7 mg/L																																									
New South Wales	9.7	0.5	89.8																																									
Victoria	24.1	0.6	75.3																																									
Queensland	95.3	0.0	4.7																																									
South Australia	9.8	7.6	82.6																																									
Western Australia	8.1	1.8	90.1																																									
Tasmania	5.3	0.0	94.7																																									
Northern Territory	15.8	75.0	9.2																																									
Aust. Capital Territory	0.0	0.0	100.0																																									
<i>Australia</i>	<i>29.1</i>	<i>1.8</i>	<i>69.1</i>																																									
	<p>Comment</p> <p>Currently available national data classify water fluoride concentrations into 0.0–<0.3, 0.3–<0.7 and ≥0.7 mg/L. Most Australian fluoridated water supplies are at or above 0.7 mg/L, implying this is a threshold for appropriate concentrations. However, this creates an apparent aberration because 0.6 mg/L is the current accepted concentration in Darwin, NT. Work will be undertaken to update and reclassify fluoride concentrations.</p> <p>UPDATE: 2007</p> <table border="1" data-bbox="584 1128 1474 1599"> <thead> <tr> <th rowspan="2"></th> <th colspan="3">Water fluoridation categories</th> </tr> <tr> <th>0.0 – < 0.3</th> <th>0.3 – < 0.7</th> <th>≥ 0.7 mg/L</th> </tr> </thead> <tbody> <tr> <td>New South Wales^(a)</td> <td>9.3</td> <td>0.5</td> <td>90.2</td> </tr> <tr> <td>Victoria^(b)</td> <td>24.1</td> <td>0.6</td> <td>75.3</td> </tr> <tr> <td>Queensland^(c)</td> <td>95.3</td> <td>0.0</td> <td>4.7</td> </tr> <tr> <td>South Australia^(d)</td> <td>6.1</td> <td>4.9</td> <td>89.0</td> </tr> <tr> <td>Western Australia^(c)</td> <td>8.1</td> <td>1.8</td> <td>90.1</td> </tr> <tr> <td>Tasmania^(c)</td> <td>5.3</td> <td>0.0</td> <td>94.7</td> </tr> <tr> <td>Northern Territory^(c)</td> <td>15.8</td> <td>75.0</td> <td>9.2</td> </tr> <tr> <td>Aust. Capital Territory^(c)</td> <td>0.0</td> <td>0.0</td> <td>100.0</td> </tr> <tr> <td><i>Australia</i></td> <td><i>28.7</i></td> <td><i>1.6</i></td> <td><i>69.7</i></td> </tr> </tbody> </table> <p>(a) Updated using recently available 2007 data (partially complete-still awaiting data from NSW Water Authority)</p> <p>(b) No change since 2003</p> <p>(c) No updated data received as yet</p> <p>(d) Complete updated 2007 data</p>		Water fluoridation categories			0.0 – < 0.3	0.3 – < 0.7	≥ 0.7 mg/L	New South Wales ^(a)	9.3	0.5	90.2	Victoria ^(b)	24.1	0.6	75.3	Queensland ^(c)	95.3	0.0	4.7	South Australia ^(d)	6.1	4.9	89.0	Western Australia ^(c)	8.1	1.8	90.1	Tasmania ^(c)	5.3	0.0	94.7	Northern Territory ^(c)	15.8	75.0	9.2	Aust. Capital Territory ^(c)	0.0	0.0	100.0	<i>Australia</i>	<i>28.7</i>	<i>1.6</i>	<i>69.7</i>
	Water fluoridation categories																																											
	0.0 – < 0.3	0.3 – < 0.7	≥ 0.7 mg/L																																									
New South Wales ^(a)	9.3	0.5	90.2																																									
Victoria ^(b)	24.1	0.6	75.3																																									
Queensland ^(c)	95.3	0.0	4.7																																									
South Australia ^(d)	6.1	4.9	89.0																																									
Western Australia ^(c)	8.1	1.8	90.1																																									
Tasmania ^(c)	5.3	0.0	94.7																																									
Northern Territory ^(c)	15.8	75.0	9.2																																									
Aust. Capital Territory ^(c)	0.0	0.0	100.0																																									
<i>Australia</i>	<i>28.7</i>	<i>1.6</i>	<i>69.7</i>																																									


Process Indicators	Population Oral Health
<p>Indicator 3: Adoption of a nationally consistent suite of oral health promotion messages.</p> <p>Source: 'Clearing House for Oral Health Promotion' at ARCPOH, The University of Adelaide.</p> <p>Baseline: Not available</p> <p>Status: National Workshop on the Use of Fluorides in Australia held in 2005 and meetings of the National Forum on Oral Health Promotion held in 2005 and 2006. Clearing House proposal financially supported by States/Territories. Additional support being sought.</p>	<p>Comment.</p> <p>Progress on this indicator is dependent on the establishment of a Clearing House for Oral Health Promotion.</p> <p>Update:</p> <p>'Clearing House for Oral Health Promotion' has been established in 2007 with State/Territory and ADA support. One staff appointment has been made to support and moderate the Clearing House.</p>


Outcome Indicators	Population Oral Health																											
<p>Indicator 4: Proportion of 6 year olds experiencing dental caries (1 or more deciduous teeth affected)</p> <p>Source: Child Dental Health Survey</p> <p>Baseline: 47.3% in 2001</p> <p>Update: 47.4% in 2002</p> <p>Status: Documented by ARCPOH in collaboration with State/Territory public dental services. Representative data not available from NSW 2001–2006, but planned for 2007. Supported by AIHW</p>	<p>Percentage of 6-year-old Australian children having experienced dental caries (deciduous dmft > 0) by State or Territory of residence.</p>  <table border="1" data-bbox="635 582 1417 728"> <thead> <tr> <th></th> <th>Vic</th> <th>Qld</th> <th>SA</th> <th>WA</th> <th>Tas</th> <th>ACT</th> <th>NT</th> <th>Aust (a)</th> </tr> </thead> <tbody> <tr> <td>2001</td> <td>46.8</td> <td>52.0</td> <td>45.5</td> <td>44.7</td> <td>45.1</td> <td>43.3</td> <td>52.8</td> <td>47.3</td> </tr> <tr> <td>2002</td> <td>45.4</td> <td>51.5</td> <td>46.4</td> <td>46.4</td> <td>44.2</td> <td>52.2</td> <td>55.1</td> <td>47.4</td> </tr> </tbody> </table> <p>(a) Excluding NSW</p>		Vic	Qld	SA	WA	Tas	ACT	NT	Aust (a)	2001	46.8	52.0	45.5	44.7	45.1	43.3	52.8	47.3	2002	45.4	51.5	46.4	46.4	44.2	52.2	55.1	47.4
	Vic	Qld	SA	WA	Tas	ACT	NT	Aust (a)																				
2001	46.8	52.0	45.5	44.7	45.1	43.3	52.8	47.3																				
2002	45.4	51.5	46.4	46.4	44.2	52.2	55.1	47.4																				
<p>Indicator 5: Mean number of deciduous teeth with experience of caries in 6 year olds.</p> <p>Source: Child Dental Health Survey</p> <p>Baseline: 1.89 teeth in 2001</p> <p>Update: 1.96 teeth in 2002</p> <p>Status: Documented by ARCPOH in collaboration with State/Territory public dental services. Representative data not available from NSW 2001–2006, but planned for 2007. Supported by AIHW</p>	<p>Mean number of deciduous teeth with experience of caries in 6-year-olds by State or Territory of residence.</p>  <table border="1" data-bbox="646 1254 1444 1400"> <thead> <tr> <th></th> <th>Vic</th> <th>Qld</th> <th>SA</th> <th>WA</th> <th>Tas</th> <th>ACT</th> <th>NT</th> <th>Aust (a)</th> </tr> </thead> <tbody> <tr> <td>2001</td> <td>1.85</td> <td>2.44</td> <td>1.63</td> <td>1.62</td> <td>1.78</td> <td>1.63</td> <td>1.96</td> <td>1.89</td> </tr> <tr> <td>2002</td> <td>1.90</td> <td>2.44</td> <td>1.73</td> <td>1.72</td> <td>1.71</td> <td>1.91</td> <td>2.28</td> <td>1.96</td> </tr> </tbody> </table> <p>(a) Excluding NSW</p>		Vic	Qld	SA	WA	Tas	ACT	NT	Aust (a)	2001	1.85	2.44	1.63	1.62	1.78	1.63	1.96	1.89	2002	1.90	2.44	1.73	1.72	1.71	1.91	2.28	1.96
	Vic	Qld	SA	WA	Tas	ACT	NT	Aust (a)																				
2001	1.85	2.44	1.63	1.62	1.78	1.63	1.96	1.89																				
2002	1.90	2.44	1.73	1.72	1.71	1.91	2.28	1.96																				


Outcome Indicators	Population Oral Health																											
<p>Indicator 6: Proportion of 12 year olds experiencing dental caries (1 or more permanent teeth affected)</p> <p>Source: Child Dental Health Survey</p> <p>Baseline: 40.3% in 2001</p> <p>Update: 42.2% in 2002</p> <p>Status: Documented by ARCPOH in collaboration with State/Territory public dental services. Representative data not available from NSW 2001–2006, but planned for 2007. Supported by AIHW</p>	<p>Percentage of 12-year-old Australian children having experienced dental caries in their permanent teeth (DMFT > 0) by State or Territory of residence.</p>  <table border="1" data-bbox="646 582 1452 728"> <thead> <tr> <th></th> <th>Vic</th> <th>Qld</th> <th>SA</th> <th>WA</th> <th>Tas</th> <th>ACT</th> <th>NT</th> <th>Aust (a)</th> </tr> </thead> <tbody> <tr> <td>2001</td> <td>40.6</td> <td>40.1</td> <td>34.5</td> <td>38.9</td> <td>50.4</td> <td>49.4</td> <td>33.0</td> <td>40.3</td> </tr> <tr> <td>2002</td> <td>41.0</td> <td>47.7</td> <td>37.9</td> <td>40.8</td> <td>47.3</td> <td>48.9</td> <td>37.2</td> <td>42.2</td> </tr> </tbody> </table> <p>(a) Excluding NSW</p>		Vic	Qld	SA	WA	Tas	ACT	NT	Aust (a)	2001	40.6	40.1	34.5	38.9	50.4	49.4	33.0	40.3	2002	41.0	47.7	37.9	40.8	47.3	48.9	37.2	42.2
	Vic	Qld	SA	WA	Tas	ACT	NT	Aust (a)																				
2001	40.6	40.1	34.5	38.9	50.4	49.4	33.0	40.3																				
2002	41.0	47.7	37.9	40.8	47.3	48.9	37.2	42.2																				
<p>Indicator 7: Mean number of permanent teeth with experience of caries in 12 year olds</p> <p>Source: Child Dental Health Survey</p> <p>Baseline: 0.95 teeth in 2001</p> <p>Update: 1.02 teeth in 2002</p> <p>Status: Documented by ARCPOH in collaboration with State/Territory public dental services. Representative data not available from NSW 2001–2006, but planned for 2007. Supported by AIHW</p>	<p>Mean number of permanent teeth with experience of caries in 12-year-olds by State or Territory of residence.</p>  <table border="1" data-bbox="646 1220 1452 1366"> <thead> <tr> <th></th> <th>Vic</th> <th>Qld</th> <th>SA</th> <th>WA</th> <th>Tas</th> <th>ACT</th> <th>NT</th> <th>Aust (a)</th> </tr> </thead> <tbody> <tr> <td>2001</td> <td>0.92</td> <td>1.25</td> <td>0.67</td> <td>0.82</td> <td>1.27</td> <td>1.57</td> <td>0.73</td> <td>0.95</td> </tr> <tr> <td>2002</td> <td>0.98</td> <td>1.26</td> <td>0.84</td> <td>0.92</td> <td>1.22</td> <td>1.27</td> <td>0.84</td> <td>1.02</td> </tr> </tbody> </table> <p>(a) Excluding NSW</p> <p>Comment. Variation in child population oral health across States and Territories reflects different patterns of risk and protective exposures for dental caries. In certain States and Territories, especially among older children, policies on eligibility and targeting introduce bias into those children who are included in the Child Dental Health Survey.</p>		Vic	Qld	SA	WA	Tas	ACT	NT	Aust (a)	2001	0.92	1.25	0.67	0.82	1.27	1.57	0.73	0.95	2002	0.98	1.26	0.84	0.92	1.22	1.27	0.84	1.02
	Vic	Qld	SA	WA	Tas	ACT	NT	Aust (a)																				
2001	0.92	1.25	0.67	0.82	1.27	1.57	0.73	0.95																				
2002	0.98	1.26	0.84	0.92	1.22	1.27	0.84	1.02																				



Action Area Two – Children and adolescents







Process Indicators	Children and adolescents								
<p>Indicator 10: The rate of children requiring general anaesthetics for oral health problems</p> <p>Source: AIHW Hospital Morbidity Database</p> <p>Baseline: In 2003/04 668 <5 yo per 100,000 718 5–9 yo per 100,000 487 10-14 yo per 100,000</p> <p>Status: Documented by ARCPOH using the AIHW Hospital Morbidity Database and ABS ERPs.</p> <p><i>No update on 2003/04 data currently available.</i></p>	<p>Rate per 100,000 children requiring general anaesthetics for oral health problems.</p>  <table border="1" data-bbox="651 293 1442 779"> <thead> <tr> <th>Age</th> <th>Rate per 100,000</th> </tr> </thead> <tbody> <tr> <td><5 Years</td> <td>668.2</td> </tr> <tr> <td>5-9 Years</td> <td>718.4</td> </tr> <tr> <td>10-14 Years</td> <td>487.4</td> </tr> </tbody> </table> <p>Comment. Analysis of State and Territory comparisons not available.</p>	Age	Rate per 100,000	<5 Years	668.2	5-9 Years	718.4	10-14 Years	487.4
Age	Rate per 100,000								
<5 Years	668.2								
5-9 Years	718.4								
10-14 Years	487.4								




Action Area Three – Older people



Process Indicator	Older people																																																												
<p>Indicator 11: The numbers of older people living independently in the community receiving timely dental care</p> <p>Source: National Dental Telephone Interview Survey</p> <p>Baseline: In 2002</p> <ul style="list-style-type: none"> 65+ yo visited in last 2 years 60.0%; dentate 65+ yo usually visit for check-up 51.9% <p>Update: In 2005</p> <ul style="list-style-type: none"> 65+ yo visited in last 2 years 65.7%; dentate 65+ yo usually visit for check-up 56.7% <p>Status: Documented by ARCPOH through the National Dental Telephone Interview Survey. Supported by AGDoHA under MoU with AIHW.</p>	<p>65+ year olds visited in last 2 years</p> <table border="1"> <thead> <tr> <th></th> <th>NSW</th> <th>Vic</th> <th>Qld</th> <th>SA</th> <th>WA</th> <th>Tas</th> <th>ACT</th> <th>NT</th> <th>Aust</th> </tr> </thead> <tbody> <tr> <td>2002</td> <td>59.7</td> <td>57.1</td> <td>62.4</td> <td>57.8</td> <td>66.2</td> <td>54.7</td> <td>83.3</td> <td>45.4</td> <td>60.0</td> </tr> <tr> <td>2005</td> <td>67.3</td> <td>60.5</td> <td>67.4</td> <td>65.2</td> <td>73.2</td> <td>54.4</td> <td>78.5</td> <td>64.8</td> <td>65.7</td> </tr> </tbody> </table> <p>State/Territory</p> <p>Dentate 65+ year olds usually visit for a checkup</p> <table border="1"> <thead> <tr> <th></th> <th>NSW</th> <th>Vic</th> <th>Qld</th> <th>SA</th> <th>WA</th> <th>Tas</th> <th>ACT</th> <th>NT</th> <th>Aust</th> </tr> </thead> <tbody> <tr> <td>2002</td> <td>50.8</td> <td>50.3</td> <td>54.7</td> <td>48.9</td> <td>57.8</td> <td>42.3</td> <td>61.9</td> <td>44.5</td> <td>51.9</td> </tr> <tr> <td>2005</td> <td>53.8</td> <td>60.4</td> <td>57.3</td> <td>54.9</td> <td>59.7</td> <td>53.2</td> <td>68.2</td> <td>45.8</td> <td>56.7</td> </tr> </tbody> </table> <p>State/Territory</p>		NSW	Vic	Qld	SA	WA	Tas	ACT	NT	Aust	2002	59.7	57.1	62.4	57.8	66.2	54.7	83.3	45.4	60.0	2005	67.3	60.5	67.4	65.2	73.2	54.4	78.5	64.8	65.7		NSW	Vic	Qld	SA	WA	Tas	ACT	NT	Aust	2002	50.8	50.3	54.7	48.9	57.8	42.3	61.9	44.5	51.9	2005	53.8	60.4	57.3	54.9	59.7	53.2	68.2	45.8	56.7
	NSW	Vic	Qld	SA	WA	Tas	ACT	NT	Aust																																																				
2002	59.7	57.1	62.4	57.8	66.2	54.7	83.3	45.4	60.0																																																				
2005	67.3	60.5	67.4	65.2	73.2	54.4	78.5	64.8	65.7																																																				
	NSW	Vic	Qld	SA	WA	Tas	ACT	NT	Aust																																																				
2002	50.8	50.3	54.7	48.9	57.8	42.3	61.9	44.5	51.9																																																				
2005	53.8	60.4	57.3	54.9	59.7	53.2	68.2	45.8	56.7																																																				



Outcome Indicator	Older people																																								
<p>Indicator 12: Improved oral-health-related quality of life, as recorded by indicators such the Oral Health Impact Profile (OHIP).</p> <p>Source: National Dental Telephone Interview Survey and associated questionnaires.</p> <p>Baseline: 65+yo in 2002 Frequency impacts (1+ OHIP) 57.6%</p> <p>Update: 65+ in 2004/06 Frequency Impacts (1+ OHIP) 56.8%</p> <p>Status: Documented by ARCPOH through the National Dental Telephone Interview Survey and associated questionnaires. Supported by AGDoHA under MoU with AIHW.</p> <p><i>2005 data not yet released.</i></p>	<p>65+ year olds with 1+ OHIP Impacts in 2002</p>  <table border="1"> <thead> <tr> <th>State/Territory</th> <th>Percentage (%)</th> </tr> </thead> <tbody> <tr><td>NSW</td><td>54.2</td></tr> <tr><td>Vic</td><td>61.6</td></tr> <tr><td>Qld</td><td>60.7</td></tr> <tr><td>SA</td><td>58.4</td></tr> <tr><td>WA</td><td>59.1</td></tr> <tr><td>Tas</td><td>46.8</td></tr> <tr><td>ACT</td><td>42.8</td></tr> <tr><td>NT</td><td>71.1</td></tr> <tr><td>Aust</td><td>57.6</td></tr> </tbody> </table> <p>Comment.</p> <p>The Oral Health Impact Profile (OHIP) is a multi-item measure of oral health-related quality of life. One summary statistic from the use of OHIP is the percentage of people reporting one or more items of impact of oral diseases or disorders 'Occasionally' 'Fairly often' or 'Very often' in their everyday lives in the last 12 months.</p> <p>65+ year olds with 1+ OHIP Impacts in 2004/06</p>  <table border="1"> <thead> <tr> <th>State/Territory</th> <th>Percentage (%)</th> </tr> </thead> <tbody> <tr><td>NSW</td><td>56.5</td></tr> <tr><td>Vic</td><td>56.0</td></tr> <tr><td>Qld</td><td>54.0</td></tr> <tr><td>SA</td><td>58.6</td></tr> <tr><td>WA</td><td>61.6</td></tr> <tr><td>Tas</td><td>64.9</td></tr> <tr><td>ACT</td><td>53.8</td></tr> <tr><td>NT</td><td>65.6</td></tr> <tr><td>Aust</td><td>56.8</td></tr> </tbody> </table>	State/Territory	Percentage (%)	NSW	54.2	Vic	61.6	Qld	60.7	SA	58.4	WA	59.1	Tas	46.8	ACT	42.8	NT	71.1	Aust	57.6	State/Territory	Percentage (%)	NSW	56.5	Vic	56.0	Qld	54.0	SA	58.6	WA	61.6	Tas	64.9	ACT	53.8	NT	65.6	Aust	56.8
State/Territory	Percentage (%)																																								
NSW	54.2																																								
Vic	61.6																																								
Qld	60.7																																								
SA	58.4																																								
WA	59.1																																								
Tas	46.8																																								
ACT	42.8																																								
NT	71.1																																								
Aust	57.6																																								
State/Territory	Percentage (%)																																								
NSW	56.5																																								
Vic	56.0																																								
Qld	54.0																																								
SA	58.6																																								
WA	61.6																																								
Tas	64.9																																								
ACT	53.8																																								
NT	65.6																																								
Aust	56.8																																								



Action Area Four – Low income and disadvantaged

Process Indicators	Low income and disadvantaged																																																																								
<p>Indicator 13: Increased proportion of concession card holders receiving access to timely, preventively focused dental care.</p> <p>Source: National Dental Telephone Interview Survey</p> <p>Baseline: In 2002,</p> <ul style="list-style-type: none"> cardholders 5+ yo visited in last 2 years 65.8%; dentate cardholders 5+ yo usually visit for check-up 46.6% dentate cardholders 5+ yo visiting in last year <i>not</i> receiving an extraction 79.4% <p>Update: In 2005,</p> <ul style="list-style-type: none"> cardholders 5+ yo visited in last 2 years 68.5%; dentate cardholders 5+ yo usually visit for check-up 49.4% dentate cardholders 5+ yo visiting in last year <i>not</i> receiving an extraction 80.9% <p>Status: Documented by ARCPOH through the National Dental Telephone Interview Survey. Supported by AGDoHA under MoU with AIHW.</p>	<p>Cardholders who visited in last 2 years</p> <table border="1"> <thead> <tr> <th></th> <th>5-11</th> <th>12-17</th> <th>18-24</th> <th>25-44</th> <th>45-64</th> <th>65+</th> <th>All</th> </tr> </thead> <tbody> <tr> <td>2002</td> <td>89.2</td> <td>85.2</td> <td>64.7</td> <td>69.8</td> <td>59.9</td> <td>56.6</td> <td>65.8</td> </tr> <tr> <td>2005</td> <td>84.5</td> <td>85.2</td> <td>68.6</td> <td>68.5</td> <td>70.6</td> <td>60.2</td> <td>68.5</td> </tr> </tbody> </table> <p>Dentate cardholders who usually visit for checkup</p> <table border="1"> <thead> <tr> <th></th> <th>5-11</th> <th>12-17</th> <th>18-24</th> <th>25-44</th> <th>45-64</th> <th>65+</th> <th>All</th> </tr> </thead> <tbody> <tr> <td>2002</td> <td>81.6</td> <td>73.1</td> <td>57.6</td> <td>31.4</td> <td>30.0</td> <td>46.5</td> <td>46.6</td> </tr> <tr> <td>2005</td> <td>85.4</td> <td>78.6</td> <td>52.7</td> <td>30.4</td> <td>39.1</td> <td>48.8</td> <td>49.4</td> </tr> </tbody> </table> <p>Dentate card holders visiting in last year not receiving an extraction in last 12 months</p> <table border="1"> <thead> <tr> <th></th> <th>5-11</th> <th>12-17</th> <th>18-24</th> <th>25-44</th> <th>45-64</th> <th>65+</th> <th>All</th> </tr> </thead> <tbody> <tr> <td>2002</td> <td>92.6</td> <td>87.5</td> <td>87.6</td> <td>68.6</td> <td>74.0</td> <td>78.2</td> <td>79.4</td> </tr> <tr> <td>2005</td> <td>90.3</td> <td>89.4</td> <td>87.0</td> <td>68.9</td> <td>76.6</td> <td>81.9</td> <td>80.9</td> </tr> </tbody> </table>		5-11	12-17	18-24	25-44	45-64	65+	All	2002	89.2	85.2	64.7	69.8	59.9	56.6	65.8	2005	84.5	85.2	68.6	68.5	70.6	60.2	68.5		5-11	12-17	18-24	25-44	45-64	65+	All	2002	81.6	73.1	57.6	31.4	30.0	46.5	46.6	2005	85.4	78.6	52.7	30.4	39.1	48.8	49.4		5-11	12-17	18-24	25-44	45-64	65+	All	2002	92.6	87.5	87.6	68.6	74.0	78.2	79.4	2005	90.3	89.4	87.0	68.9	76.6	81.9	80.9
	5-11	12-17	18-24	25-44	45-64	65+	All																																																																		
2002	89.2	85.2	64.7	69.8	59.9	56.6	65.8																																																																		
2005	84.5	85.2	68.6	68.5	70.6	60.2	68.5																																																																		
	5-11	12-17	18-24	25-44	45-64	65+	All																																																																		
2002	81.6	73.1	57.6	31.4	30.0	46.5	46.6																																																																		
2005	85.4	78.6	52.7	30.4	39.1	48.8	49.4																																																																		
	5-11	12-17	18-24	25-44	45-64	65+	All																																																																		
2002	92.6	87.5	87.6	68.6	74.0	78.2	79.4																																																																		
2005	90.3	89.4	87.0	68.9	76.6	81.9	80.9																																																																		


Process Indicators	Low income and disadvantaged																																						
	Cardholders who visited in last 2 years																																						
	 <table border="1" data-bbox="598 571 1468 683"> <thead> <tr> <th></th> <th>NSW</th> <th>Vic</th> <th>Qld</th> <th>SA</th> <th>WA</th> <th>Tas</th> <th>ACT</th> <th>NT</th> <th>Aust</th> </tr> </thead> <tbody> <tr> <td>2002</td> <td>63.5</td> <td>62.9</td> <td>70.9</td> <td>69.9</td> <td>67.4</td> <td>60.8</td> <td>72.7</td> <td>63.6</td> <td>65.8</td> </tr> <tr> <td>2005</td> <td>67.6</td> <td>68.4</td> <td>66.8</td> <td>71.2</td> <td>76.0</td> <td>55.7</td> <td>76.9</td> <td>67.3</td> <td>68.5</td> </tr> </tbody> </table> <p data-bbox="997 683 1141 705">State/Territory</p>										NSW	Vic	Qld	SA	WA	Tas	ACT	NT	Aust	2002	63.5	62.9	70.9	69.9	67.4	60.8	72.7	63.6	65.8	2005	67.6	68.4	66.8	71.2	76.0	55.7	76.9	67.3	68.5
		NSW	Vic	Qld	SA	WA	Tas	ACT	NT	Aust																													
	2002	63.5	62.9	70.9	69.9	67.4	60.8	72.7	63.6	65.8																													
	2005	67.6	68.4	66.8	71.2	76.0	55.7	76.9	67.3	68.5																													
	Dentate cardholders who usually visit for checkup																																						
	 <table border="1" data-bbox="598 1153 1468 1265"> <thead> <tr> <th></th> <th>NSW</th> <th>Vic</th> <th>Qld</th> <th>SA</th> <th>WA</th> <th>Tas</th> <th>ACT</th> <th>NT</th> <th>Aust</th> </tr> </thead> <tbody> <tr> <td>2002</td> <td>43.2</td> <td>46.2</td> <td>48.2</td> <td>47.1</td> <td>55.5</td> <td>43.8</td> <td>46.8</td> <td>47.8</td> <td>46.6</td> </tr> <tr> <td>2005</td> <td>44.6</td> <td>49.3</td> <td>51.1</td> <td>52.3</td> <td>60.2</td> <td>47.4</td> <td>52.5</td> <td>47.1</td> <td>49.4</td> </tr> </tbody> </table> <p data-bbox="997 1265 1141 1288">State/Territory</p>										NSW	Vic	Qld	SA	WA	Tas	ACT	NT	Aust	2002	43.2	46.2	48.2	47.1	55.5	43.8	46.8	47.8	46.6	2005	44.6	49.3	51.1	52.3	60.2	47.4	52.5	47.1	49.4
		NSW	Vic	Qld	SA	WA	Tas	ACT	NT	Aust																													
	2002	43.2	46.2	48.2	47.1	55.5	43.8	46.8	47.8	46.6																													
	2005	44.6	49.3	51.1	52.3	60.2	47.4	52.5	47.1	49.4																													
Dentate card holders visiting in last year not receiving an extraction in last 12 months																																							
 <table border="1" data-bbox="598 1747 1468 1859"> <thead> <tr> <th></th> <th>NSW</th> <th>Vic</th> <th>Qld</th> <th>SA</th> <th>WA</th> <th>Tas</th> <th>ACT</th> <th>NT</th> <th>Aust</th> </tr> </thead> <tbody> <tr> <td>2002</td> <td>79.6</td> <td>82.3</td> <td>79.1</td> <td>75.3</td> <td>78.9</td> <td>74.8</td> <td>83.5</td> <td>72.5</td> <td>79.4</td> </tr> <tr> <td>2005</td> <td>78.5</td> <td>81.7</td> <td>83.6</td> <td>79.9</td> <td>81.8</td> <td>83.1</td> <td>80.7</td> <td>74.8</td> <td>80.9</td> </tr> </tbody> </table> <p data-bbox="997 1859 1141 1881">State/Territory</p>										NSW	Vic	Qld	SA	WA	Tas	ACT	NT	Aust	2002	79.6	82.3	79.1	75.3	78.9	74.8	83.5	72.5	79.4	2005	78.5	81.7	83.6	79.9	81.8	83.1	80.7	74.8	80.9	
	NSW	Vic	Qld	SA	WA	Tas	ACT	NT	Aust																														
2002	79.6	82.3	79.1	75.3	78.9	74.8	83.5	72.5	79.4																														
2005	78.5	81.7	83.6	79.9	81.8	83.1	80.7	74.8	80.9																														

Outcome Indicator	Low income and disadvantaged																																																																						
<p>Indicator 14: Reduction in prevalence of dental caries, periodontal disease and tooth loss among concession card holders treated in the public sector</p> <p>Source: Adult Dental Programs Survey</p> <p>Baseline: In 2001/02 Mean DMFT 15.2 D 2.7 M 6.4 F 6.2 Periodontal disease Pockets 6+mm 10.3%</p> <p>Status: Documented by ARCPOH in collaboration with State/Territory public dental services. Data not available from ACT and Tas. ADPS being repeated in 2006. Supported by the AGDoHA under MoU with AIHW</p> <p><i>No update on national data available (ADPS 2006–07 includes WA and SA only)</i></p>	<p>Caries experience by age, 2001–02 Concession card holders treated in the public sector</p>  <table border="1"> <caption>Caries experience by age, 2001–02</caption> <thead> <tr> <th>Age (years)</th> <th>Filled teeth</th> <th>Missing teeth</th> <th>Decayed teeth</th> <th>Total</th> </tr> </thead> <tbody> <tr> <td>18–24</td> <td>4.61</td> <td>0.67</td> <td>2.47</td> <td>7.75</td> </tr> <tr> <td>25–44</td> <td>4.14</td> <td>3.68</td> <td>5.46</td> <td>13.27</td> </tr> <tr> <td>45–64</td> <td>1.89</td> <td>7.22</td> <td>7.31</td> <td>16.41</td> </tr> <tr> <td>65+</td> <td>1.89</td> <td>9.69</td> <td>6.79</td> <td>17.84</td> </tr> <tr> <td>All</td> <td>2.65</td> <td>6.35</td> <td>6.20</td> <td>15.20</td> </tr> </tbody> </table> <p>Caries experience by State/Territory 2001–02 Concession card holders treated in the public sector</p>  <table border="1"> <caption>Caries experience by State/Territory 2001–02</caption> <thead> <tr> <th>State/Territory</th> <th>Filled teeth</th> <th>Missing teeth</th> <th>Decayed teeth</th> <th>Total</th> </tr> </thead> <tbody> <tr> <td>NSW</td> <td>5.01</td> <td>6.55</td> <td>3.58</td> <td>15.14</td> </tr> <tr> <td>Vic</td> <td>5.40</td> <td>9.82</td> <td>2.51</td> <td>17.74</td> </tr> <tr> <td>Qld</td> <td>6.81</td> <td>4.24</td> <td>2.55</td> <td>13.61</td> </tr> <tr> <td>SA</td> <td>7.07</td> <td>6.59</td> <td>1.83</td> <td>15.49</td> </tr> <tr> <td>WA</td> <td>8.56</td> <td>5.27</td> <td>1.46</td> <td>15.29</td> </tr> <tr> <td>NT</td> <td>6.54</td> <td>2.42</td> <td>1.78</td> <td>10.74</td> </tr> <tr> <td>Aust</td> <td>2.65</td> <td>6.35</td> <td>6.20</td> <td>15.20</td> </tr> </tbody> </table> <p>Comment.</p> <p>Caries experience is strongly age-related. Therefore comparison across States/Territories for people of all ages can be confounded by variation in age of adults holding a concession card treated in the public sector.</p>	Age (years)	Filled teeth	Missing teeth	Decayed teeth	Total	18–24	4.61	0.67	2.47	7.75	25–44	4.14	3.68	5.46	13.27	45–64	1.89	7.22	7.31	16.41	65+	1.89	9.69	6.79	17.84	All	2.65	6.35	6.20	15.20	State/Territory	Filled teeth	Missing teeth	Decayed teeth	Total	NSW	5.01	6.55	3.58	15.14	Vic	5.40	9.82	2.51	17.74	Qld	6.81	4.24	2.55	13.61	SA	7.07	6.59	1.83	15.49	WA	8.56	5.27	1.46	15.29	NT	6.54	2.42	1.78	10.74	Aust	2.65	6.35	6.20	15.20
Age (years)	Filled teeth	Missing teeth	Decayed teeth	Total																																																																			
18–24	4.61	0.67	2.47	7.75																																																																			
25–44	4.14	3.68	5.46	13.27																																																																			
45–64	1.89	7.22	7.31	16.41																																																																			
65+	1.89	9.69	6.79	17.84																																																																			
All	2.65	6.35	6.20	15.20																																																																			
State/Territory	Filled teeth	Missing teeth	Decayed teeth	Total																																																																			
NSW	5.01	6.55	3.58	15.14																																																																			
Vic	5.40	9.82	2.51	17.74																																																																			
Qld	6.81	4.24	2.55	13.61																																																																			
SA	7.07	6.59	1.83	15.49																																																																			
WA	8.56	5.27	1.46	15.29																																																																			
NT	6.54	2.42	1.78	10.74																																																																			
Aust	2.65	6.35	6.20	15.20																																																																			


Outcome Indicator	Low income and disadvantaged																										
	<p data-bbox="582 197 1327 255">Prevalence (%) of periodontal pockets 6+mm by age, 2001–02 Concession card holders treated in the public sector</p>  <table border="1" data-bbox="593 273 1465 806"> <thead> <tr> <th>Age (years)</th> <th>Prevalence (%)</th> </tr> </thead> <tbody> <tr> <td>18–24</td> <td>3.3</td> </tr> <tr> <td>25–44</td> <td>8.1</td> </tr> <tr> <td>45–64</td> <td>13.0</td> </tr> <tr> <td>65+</td> <td>11.8</td> </tr> <tr> <td>All</td> <td>10.3</td> </tr> </tbody> </table> <p data-bbox="582 878 1453 936">Prevalence (%) of periodontal pockets 6+mm by State/Territory, 2001–02 Concession card holders treated in the public sector</p>  <table border="1" data-bbox="593 954 1442 1438"> <thead> <tr> <th>State/Territory</th> <th>Prevalence (%)</th> </tr> </thead> <tbody> <tr> <td>NSW</td> <td>16.1</td> </tr> <tr> <td>Vic</td> <td>9.0</td> </tr> <tr> <td>Qld</td> <td>5.8</td> </tr> <tr> <td>SA</td> <td>8.7</td> </tr> <tr> <td>WA</td> <td>9.6</td> </tr> <tr> <td>NT</td> <td>5.1</td> </tr> </tbody> </table> <p data-bbox="582 1496 705 1523">Comment.</p> <p data-bbox="582 1559 1481 1675">Periodontal pockets 6+mm deep – an indicator of advanced gum disease – are strongly age-related. Therefore comparison across States/Territories for people of all ages can be confounded by variation in age of adults holding a concession card treated in the public sector.</p>	Age (years)	Prevalence (%)	18–24	3.3	25–44	8.1	45–64	13.0	65+	11.8	All	10.3	State/Territory	Prevalence (%)	NSW	16.1	Vic	9.0	Qld	5.8	SA	8.7	WA	9.6	NT	5.1
Age (years)	Prevalence (%)																										
18–24	3.3																										
25–44	8.1																										
45–64	13.0																										
65+	11.8																										
All	10.3																										
State/Territory	Prevalence (%)																										
NSW	16.1																										
Vic	9.0																										
Qld	5.8																										
SA	8.7																										
WA	9.6																										
NT	5.1																										

Outcome Indicator	Low income and disadvantaged																																																
<p>Indicator 15: Reduction of oral health inequalities across population</p> <p>Source: National Dental Telephone Interview Survey</p> <p>Baseline: In 2002,</p> <ul style="list-style-type: none"> ➤ 5+ yo, income quartile 1 vs 4 (low vs high), visited last 2 years 62.5 vs 83.3% = gap 20.8% ➤ Dentate 5+ yo, quartile 1 vs 4 (low vs high), usually visit for check-up 43.3 vs 69.7% = gap 26.4% ➤ Dentate 5+ yo who visited in last year, did not have an extraction, income quartile 1 vs 4 (low vs high), 77.5 vs 86.8% = gap 9.3% ➤ 18+yo, income quartile 1 vs 4 (low vs high), edentulous 24.1 vs 1.4%=gap 22.7% ➤ Dentate 18+yo, income quartile 1 vs 4 (low vs high), 21+ teeth 69.3 vs 96.3%= gap 27.0% <p>Update: In 2005,</p> <ul style="list-style-type: none"> ➤ 5+ yo, income quartile 1 vs 4 (low vs high), visited last 2 years 63.2 vs 83.8% = gap 20.6% ➤ Dentate 5+ yo, quartile 1 vs 4 (low vs high), usually visit for check-up 45.4 vs 71.0% = gap 25.6% ➤ Dentate 5+ yo who visited in last year, did not have an extraction, income quartile 1 vs 4 (low vs high), 79.0 vs 90.7% = gap 11.7% ➤ 18+yo, income quartile 1 vs 4 (low vs high), edentulous 25.2 vs 0.5%=gap 24.7% ➤ Dentate 18+yo, income quartile 1 vs 4 (low vs high), 21+ teeth 61.8 vs 96.7%= gap 34.9% <p>Status: Documented by ARCPOH through the National Dental Telephone Interview Survey. Supported by AGDoHA under MoU with AIHW.</p>	<p>Percentage who visited in last 2 years, low and high income quartiles, 2002</p>  <table border="1" data-bbox="598 257 1460 772"> <thead> <tr> <th>Age (years)</th> <th>Low income quartile (%)</th> <th>High income quartile (%)</th> </tr> </thead> <tbody> <tr> <td>5-11</td> <td>81.8</td> <td>97.1</td> </tr> <tr> <td>12-17</td> <td>89.2</td> <td>92.5</td> </tr> <tr> <td>18-24</td> <td>65.5</td> <td>81.6</td> </tr> <tr> <td>25-44</td> <td>72.0</td> <td>79.1</td> </tr> <tr> <td>45-64</td> <td>60.0</td> <td>80.5</td> </tr> <tr> <td>65+</td> <td>53.8</td> <td>77.0</td> </tr> <tr> <td>All</td> <td>62.5</td> <td>83.3</td> </tr> </tbody> </table> <p>Percentage who visited in last 2 years, low and high income quartiles, 2005</p>  <table border="1" data-bbox="598 918 1460 1433"> <thead> <tr> <th>Age (years)</th> <th>Low income quartile (%)</th> <th>High income quartile (%)</th> </tr> </thead> <tbody> <tr> <td>5-11</td> <td>78.0</td> <td>94.4</td> </tr> <tr> <td>12-17</td> <td>76.6</td> <td>95.3</td> </tr> <tr> <td>18-24</td> <td>83.3</td> <td>71.0</td> </tr> <tr> <td>25-44</td> <td>69.9</td> <td>78.3</td> </tr> <tr> <td>45-64</td> <td>67.7</td> <td>88.3</td> </tr> <tr> <td>65+</td> <td>54.7</td> <td>93.2</td> </tr> <tr> <td>All</td> <td>63.2</td> <td>83.8</td> </tr> </tbody> </table>	Age (years)	Low income quartile (%)	High income quartile (%)	5-11	81.8	97.1	12-17	89.2	92.5	18-24	65.5	81.6	25-44	72.0	79.1	45-64	60.0	80.5	65+	53.8	77.0	All	62.5	83.3	Age (years)	Low income quartile (%)	High income quartile (%)	5-11	78.0	94.4	12-17	76.6	95.3	18-24	83.3	71.0	25-44	69.9	78.3	45-64	67.7	88.3	65+	54.7	93.2	All	63.2	83.8
Age (years)	Low income quartile (%)	High income quartile (%)																																															
5-11	81.8	97.1																																															
12-17	89.2	92.5																																															
18-24	65.5	81.6																																															
25-44	72.0	79.1																																															
45-64	60.0	80.5																																															
65+	53.8	77.0																																															
All	62.5	83.3																																															
Age (years)	Low income quartile (%)	High income quartile (%)																																															
5-11	78.0	94.4																																															
12-17	76.6	95.3																																															
18-24	83.3	71.0																																															
25-44	69.9	78.3																																															
45-64	67.7	88.3																																															
65+	54.7	93.2																																															
All	63.2	83.8																																															

Percentage of dentate persons who usually visit for checkup, low and high income quartiles, 2002




Percentage of dentate persons who usually visit for checkup, low and high income quartiles, 2005




Outcome Indicator



Low income and disadvantaged



Dentate persons who visited in last year that did not have an extraction, low and high income quartiles, 2002.



Dentate persons who visited in last year that did not have an extraction, low and high income quartiles, 2005.






Outcome Indicator	Low income and disadvantaged																																				
	<p data-bbox="582 197 1452 230">Prevalence (%) of edentulous adults, low and high income quartile, 2002.</p>  <table border="1" data-bbox="598 280 1452 750"> <thead> <tr> <th>Age (years)</th> <th>Low income quartile (%)</th> <th>High income quartile (%)</th> </tr> </thead> <tbody> <tr> <td>18-24</td> <td>0.0</td> <td>0.6</td> </tr> <tr> <td>25-44</td> <td>1.3</td> <td>0.6</td> </tr> <tr> <td>45-64</td> <td>18.7</td> <td>2.9</td> </tr> <tr> <td>65+</td> <td>40.3</td> <td>12.7</td> </tr> <tr> <td>All</td> <td>24.1</td> <td>1.4</td> </tr> </tbody> </table> <p data-bbox="582 824 1452 857">Prevalence (%) of edentulous adults, low and high income quartile, 2005.</p>  <table border="1" data-bbox="598 907 1452 1377"> <thead> <tr> <th>Age (years)</th> <th>Low income quartile (%)</th> <th>High income quartile (%)</th> </tr> </thead> <tbody> <tr> <td>18-24</td> <td>0.0</td> <td>0.0</td> </tr> <tr> <td>25-44</td> <td>2.2</td> <td>0.0</td> </tr> <tr> <td>45-64</td> <td>16.1</td> <td>1.5</td> </tr> <tr> <td>65+</td> <td>37.6</td> <td>0.5</td> </tr> <tr> <td>All</td> <td>25.2</td> <td>0.5</td> </tr> </tbody> </table>	Age (years)	Low income quartile (%)	High income quartile (%)	18-24	0.0	0.6	25-44	1.3	0.6	45-64	18.7	2.9	65+	40.3	12.7	All	24.1	1.4	Age (years)	Low income quartile (%)	High income quartile (%)	18-24	0.0	0.0	25-44	2.2	0.0	45-64	16.1	1.5	65+	37.6	0.5	All	25.2	0.5
Age (years)	Low income quartile (%)	High income quartile (%)																																			
18-24	0.0	0.6																																			
25-44	1.3	0.6																																			
45-64	18.7	2.9																																			
65+	40.3	12.7																																			
All	24.1	1.4																																			
Age (years)	Low income quartile (%)	High income quartile (%)																																			
18-24	0.0	0.0																																			
25-44	2.2	0.0																																			
45-64	16.1	1.5																																			
65+	37.6	0.5																																			
All	25.2	0.5																																			

Outcome Indicator	Low income and disadvantaged																																				
	<p data-bbox="582 197 1468 257">Percentage of dentate adults with 21+ teeth, low and high income quartile, 2002.</p>  <table border="1" data-bbox="598 291 1452 750"> <caption>Percentage of dentate adults with 21+ teeth, 2002</caption> <thead> <tr> <th>Age (years)</th> <th>Low income quartile (%)</th> <th>High income quartile (%)</th> </tr> </thead> <tbody> <tr> <td>18-24</td> <td>100.0</td> <td>98.5</td> </tr> <tr> <td>25-44</td> <td>92.0</td> <td>99.2</td> </tr> <tr> <td>45-64</td> <td>70.1</td> <td>92.2</td> </tr> <tr> <td>65+</td> <td>43.7</td> <td>71.6</td> </tr> <tr> <td>All</td> <td>69.3</td> <td>96.3</td> </tr> </tbody> </table> <p data-bbox="582 840 1468 900">Percentage of dentate adults with 21+ teeth, low and high income quartile, 2005.</p>  <table border="1" data-bbox="598 929 1452 1400"> <caption>Percentage of dentate adults with 21+ teeth, 2005</caption> <thead> <tr> <th>Age (years)</th> <th>Low income quartile (%)</th> <th>High income quartile (%)</th> </tr> </thead> <tbody> <tr> <td>18-24</td> <td>96.6</td> <td>100.0</td> </tr> <tr> <td>25-44</td> <td>93.8</td> <td>99.4</td> </tr> <tr> <td>45-64</td> <td>65.5</td> <td>93.0</td> </tr> <tr> <td>65+</td> <td>41.4</td> <td>73.4</td> </tr> <tr> <td>All</td> <td>61.8</td> <td>96.7</td> </tr> </tbody> </table>	Age (years)	Low income quartile (%)	High income quartile (%)	18-24	100.0	98.5	25-44	92.0	99.2	45-64	70.1	92.2	65+	43.7	71.6	All	69.3	96.3	Age (years)	Low income quartile (%)	High income quartile (%)	18-24	96.6	100.0	25-44	93.8	99.4	45-64	65.5	93.0	65+	41.4	73.4	All	61.8	96.7
Age (years)	Low income quartile (%)	High income quartile (%)																																			
18-24	100.0	98.5																																			
25-44	92.0	99.2																																			
45-64	70.1	92.2																																			
65+	43.7	71.6																																			
All	69.3	96.3																																			
Age (years)	Low income quartile (%)	High income quartile (%)																																			
18-24	96.6	100.0																																			
25-44	93.8	99.4																																			
45-64	65.5	93.0																																			
65+	41.4	73.4																																			
All	61.8	96.7																																			

Action Area Five – People with special needs – no available process or outcome indicator data

Action Area Six – Aboriginal and Torres Strait Islander People

Process Indicator	Aboriginal and Torres Strait Islander People												
<p>Indicator 16: Rate of Aboriginal children having general anaesthetics for oral health problems</p> <p>Source: AIHW Hospital Morbidity Database</p> <p>Baseline in 2003/04: Aboriginal child DGAs 806.6/100,000 Aboriginal children</p> <p>Status: Compiled by ARCPOH from the AIHW Hospital Morbidity Database and ABS ERPs.</p> <p><i>No update on 2003/04 data currently available.</i></p>	<p>Rate of Aboriginal children having general anaesthetics for oral health problems.</p> <p>Rate per 100,000</p>  <table border="1"> <thead> <tr> <th>Age</th> <th>Indigenous</th> <th>Non-Indigenous</th> </tr> </thead> <tbody> <tr> <td><5 Years</td> <td>906.9</td> <td>625.6</td> </tr> <tr> <td>5-9 Years</td> <td>667.4</td> <td>687.7</td> </tr> <tr> <td>10-14 Years</td> <td>180.7</td> <td>479.8</td> </tr> </tbody> </table>	Age	Indigenous	Non-Indigenous	<5 Years	906.9	625.6	5-9 Years	667.4	687.7	10-14 Years	180.7	479.8
Age	Indigenous	Non-Indigenous											
<5 Years	906.9	625.6											
5-9 Years	667.4	687.7											
10-14 Years	180.7	479.8											

Outcome Indicators	Aboriginal and Torres Strait Islander People																		
<p>Indicator 17: Reduction of oral health inequalities in oral health between Aboriginal and Torres Strait Islander people and the rest of the Australian population</p> <p>Source:</p> <ul style="list-style-type: none"> ➤ Children Child Dental Health Survey and Indigenous Oral Health Dataset ARCPOH <p>Baseline:</p> <ul style="list-style-type: none"> ➤ Compiled across 2000–03 from NSW, SA, NT Indigenous children 4-10 yo had 2.04 times the mean dmft of non-Indigenous children Indigenous children 6-14 yo had 1.63 times the mean dmft of non-Indigenous children <p>Status: Documented by ARCPOH from the Child Dental Health Survey and Indigenous Oral Health Data set Supported by AIHW</p>	<p>Percentage of children with no caries experience, Indigenous compared with non-Indigenous</p>  <table border="1"> <caption>Percentage of children with no caries experience (DMFT=0)</caption> <thead> <tr> <th>Age Group</th> <th>Indigenous (%)</th> <th>Non-Indigenous (%)</th> </tr> </thead> <tbody> <tr> <td>4-10 year olds</td> <td>37.5</td> <td>62.8</td> </tr> <tr> <td>6-12 year olds</td> <td>72.7</td> <td>83.7</td> </tr> </tbody> </table> <p>Mean number of teeth in children with caries experience, Indigenous compared with non-Indigenous</p>  <table border="1"> <caption>Mean number of teeth in children with caries experience (DMFT)</caption> <thead> <tr> <th>Age Group</th> <th>Indigenous (Teeth)</th> <th>Non-Indigenous (Teeth)</th> </tr> </thead> <tbody> <tr> <td>4-10 year olds</td> <td>2.86</td> <td>1.40</td> </tr> <tr> <td>6-12 year olds</td> <td>0.75</td> <td>0.46</td> </tr> </tbody> </table> <p>Comment.</p> <p>Data on Indigenous children derived from a limited number of States/Territories.</p> <p>Data on Indigenous adults are sparse.</p>	Age Group	Indigenous (%)	Non-Indigenous (%)	4-10 year olds	37.5	62.8	6-12 year olds	72.7	83.7	Age Group	Indigenous (Teeth)	Non-Indigenous (Teeth)	4-10 year olds	2.86	1.40	6-12 year olds	0.75	0.46
Age Group	Indigenous (%)	Non-Indigenous (%)																	
4-10 year olds	37.5	62.8																	
6-12 year olds	72.7	83.7																	
Age Group	Indigenous (Teeth)	Non-Indigenous (Teeth)																	
4-10 year olds	2.86	1.40																	
6-12 year olds	0.75	0.46																	



Action Area Seven – Workforce


Process Indicators	Workforce																																																												
<p>Indicator 18: Net migration gain in dentists</p> <p>Source: DIMIA via ABS</p> <p>Baseline: Net migration gain 39 in 2000</p> <p>Update: In 2005, 69 net gain</p> <p>Status: Compiled by ARCPOH from DIMIA data supplied by ABS. Updated to 2006. Supported by AIHW</p>	<p>Net migration gain of dentists.</p> <table border="1"> <thead> <tr> <th style="text-align: left;">Age (years)</th> <th>1998</th> <th>1999</th> <th>2000</th> <th>2001</th> <th>2002</th> <th>2003</th> <th>2004</th> <th>2005</th> <th style="text-align: right;">2006 YTD (10th Nov)</th> </tr> </thead> <tbody> <tr> <td>20–29</td> <td>18</td> <td>15</td> <td>21</td> <td>41</td> <td>43</td> <td>47</td> <td>39</td> <td>35</td> <td>27</td> </tr> <tr> <td>30–39</td> <td>8</td> <td>16</td> <td>15</td> <td>8</td> <td>26</td> <td>22</td> <td>33</td> <td>26</td> <td>28</td> </tr> <tr> <td>40–49</td> <td>—</td> <td>—</td> <td>3</td> <td>5</td> <td>5</td> <td>5</td> <td>8</td> <td>5</td> <td>5</td> </tr> <tr> <td>50+</td> <td>—</td> <td>3</td> <td>—</td> <td>3</td> <td>7</td> <td>3</td> <td>3</td> <td>3</td> <td>3</td> </tr> <tr> <td>Total</td> <td>26</td> <td>34</td> <td>39</td> <td>57</td> <td>81</td> <td>77</td> <td>83</td> <td>69</td> <td>63</td> </tr> </tbody> </table>	Age (years)	1998	1999	2000	2001	2002	2003	2004	2005	2006 YTD (10 th Nov)	20–29	18	15	21	41	43	47	39	35	27	30–39	8	16	15	8	26	22	33	26	28	40–49	—	—	3	5	5	5	8	5	5	50+	—	3	—	3	7	3	3	3	3	Total	26	34	39	57	81	77	83	69	63
Age (years)	1998	1999	2000	2001	2002	2003	2004	2005	2006 YTD (10 th Nov)																																																				
20–29	18	15	21	41	43	47	39	35	27																																																				
30–39	8	16	15	8	26	22	33	26	28																																																				
40–49	—	—	3	5	5	5	8	5	5																																																				
50+	—	3	—	3	7	3	3	3	3																																																				
Total	26	34	39	57	81	77	83	69	63																																																				
<p>Indicator 19: Successful completions of the ADC examination process</p> <p>Source: ADC</p> <p>Baseline: Successful completions 37 in 2002.</p> <p>Update: Successful completions 158 in 2006</p> <p>Status: Monitored by ARCPOH from ADC data. Updated to 2006.</p>	<p>Successful completions of the ADC examinations for overseas trained dentists.</p> <table border="1"> <thead> <tr> <th>Year</th> <th>ADC Certifications</th> </tr> </thead> <tbody> <tr> <td>2000</td> <td>36</td> </tr> <tr> <td>2002</td> <td>37</td> </tr> <tr> <td>2003</td> <td>48</td> </tr> <tr> <td>2004</td> <td>61</td> </tr> <tr> <td>2005</td> <td>110</td> </tr> <tr> <td>2006</td> <td>158</td> </tr> </tbody> </table>	Year	ADC Certifications	2000	36	2002	37	2003	48	2004	61	2005	110	2006	158																																														
Year	ADC Certifications																																																												
2000	36																																																												
2002	37																																																												
2003	48																																																												
2004	61																																																												
2005	110																																																												
2006	158																																																												

Process Indicators	Workforce																																																																													
<p>Indicator 20: Graduation rates for all oral health professionals in Australian universities and TAFE</p> <p>Source: DEST</p> <p>Baseline: Dentists</p> <ul style="list-style-type: none"> ➤ 1997 to 1999 BDS domestic graduates 215/yr ➤ 2000 to 2003 BDS domestic graduates 224/yr ➤ 2004 Update BDS domestic graduates 220/yr (55:45 M:F) <p>Status: Compiled by ARCPOH from data supplied by DEST and reconciled with Committee of Heads and Deans of Dental Schools (CHADDS) data Supported by AIHW</p>	<p>Domestic graduates, males and females, from Australian Universities, across 1993 and 2004.</p> <table border="1"> <thead> <tr> <th></th> <th>1993</th> <th>1994</th> <th>1995</th> <th>1996</th> <th>1997</th> <th>1998</th> <th>1999</th> <th>2000</th> <th>2001</th> <th>2002</th> <th>2003</th> <th>2004</th> </tr> </thead> <tbody> <tr> <td>Male</td> <td>82</td> <td>93</td> <td>97</td> <td>107</td> <td>96</td> <td>81</td> <td>98</td> <td>135</td> <td>110</td> <td>110</td> <td>127</td> <td>121</td> </tr> <tr> <td>Female</td> <td>145</td> <td>148</td> <td>146</td> <td>122</td> <td>131</td> <td>113</td> <td>125</td> <td>112</td> <td>100</td> <td>100</td> <td>100</td> <td>99</td> </tr> <tr> <td>Total</td> <td>227</td> <td>241</td> <td>243</td> <td>229</td> <td>227</td> <td>194</td> <td>223</td> <td>247</td> <td>210</td> <td>210</td> <td>227</td> <td>220</td> </tr> </tbody> </table> <p style="text-align: center;">Year</p> <p>Source: DEST aggregated data sourced from The University of Adelaide Data warehouse, 23/08/07, analysed by ARCPOH Note: Does not include international students.</p> <table border="1"> <thead> <tr> <th style="border-top: 1px solid black; border-bottom: 1px solid black;">Allied dental practitioners</th> <th style="border-top: 1px solid black; border-bottom: 1px solid black;">2003</th> <th style="border-top: 1px solid black; border-bottom: 1px solid black;">2004</th> <th style="border-top: 1px solid black; border-bottom: 1px solid black;">2005</th> <th style="border-top: 1px solid black; border-bottom: 1px solid black;">2006</th> </tr> </thead> <tbody> <tr> <td>Dental hygienists</td> <td>36</td> <td>18</td> <td>35</td> <td>35</td> </tr> <tr> <td>Dental therapists</td> <td>12</td> <td>30</td> <td>32</td> <td>32</td> </tr> <tr> <td>BOH (Dual qualified)</td> <td>43</td> <td>72</td> <td>65</td> <td>45</td> </tr> <tr> <td>Total</td> <td>91</td> <td>120</td> <td>132</td> <td>112</td> </tr> </tbody> </table> <p>Source: Estimates developed via consultation with professional associations, educators, ACODS estimates and DEST data (2003 & 2004)</p> <p>Note: As at 2006: 2 x Hygiene only courses (inc. 1 x TAFE course), 2x therapy only course (inc. 1 x TAFE course), 5 x dual qualified degree courses</p>		1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	Male	82	93	97	107	96	81	98	135	110	110	127	121	Female	145	148	146	122	131	113	125	112	100	100	100	99	Total	227	241	243	229	227	194	223	247	210	210	227	220	Allied dental practitioners	2003	2004	2005	2006	Dental hygienists	36	18	35	35	Dental therapists	12	30	32	32	BOH (Dual qualified)	43	72	65	45	Total	91	120	132	112
	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004																																																																		
Male	82	93	97	107	96	81	98	135	110	110	127	121																																																																		
Female	145	148	146	122	131	113	125	112	100	100	100	99																																																																		
Total	227	241	243	229	227	194	223	247	210	210	227	220																																																																		
Allied dental practitioners	2003	2004	2005	2006																																																																										
Dental hygienists	36	18	35	35																																																																										
Dental therapists	12	30	32	32																																																																										
BOH (Dual qualified)	43	72	65	45																																																																										
Total	91	120	132	112																																																																										

Outcome Indicators	Workforce																																																					
<p>Indicator 21: Reduced shortfall aggregate capacity to supply dental services against demand</p> <p>Source: ARCPOH dental labour force projections</p> <p><u>Baseline:</u> (Completed 2002)</p> <p>Based on demand trends to 1995 and supply trends to 2000</p> <ul style="list-style-type: none"> ➤ Capacity to supply dental visits <table border="1" style="margin-left: 20px;"> <tr> <td>2000</td> <td>2010</td> </tr> <tr> <td>28.4 million</td> <td>29.4 million</td> </tr> </table> ➤ Projected demand for dental visits <table border="1" style="margin-left: 20px;"> <tr> <td>1995</td> <td>2010</td> </tr> <tr> <td>23.8million</td> <td>33.2–37.7million</td> </tr> </table> <p>Projected shortfall visits against conservative estimate in 2010 was 3.8 million</p> <p><u>Update:</u> (Completed 2007)</p> <ul style="list-style-type: none"> ➤ Capacity to supply dental visits <table border="1" style="margin-left: 20px;"> <tr> <td>2005</td> <td>2020</td> </tr> <tr> <td>29.5 million</td> <td>38.4 million</td> </tr> </table> ➤ Projected demand for dental visits <table border="1" style="margin-left: 20px;"> <tr> <td></td> <td>Half PCD Growth</td> </tr> <tr> <td>2005</td> <td>28.2 mil</td> </tr> <tr> <td>2020</td> <td>38.8 mil</td> </tr> </table> <p>Projected shortfall visits supplied against best estimate of demand in 2020 is 0.4 million</p> <p>Status: ARCPOH periodically updates both demand and supply estimates and projections. New information to released in early 2007. Supported by AIHW</p>	2000	2010	28.4 million	29.4 million	1995	2010	23.8million	33.2–37.7million	2005	2020	29.5 million	38.4 million		Half PCD Growth	2005	28.2 mil	2020	38.8 mil	<p>Baseline projection of demand and supply of dental visits, 2000 to 2010</p> <table border="1" style="margin-top: 10px;"> <caption>Baseline Projection Data (1990-2010)</caption> <thead> <tr> <th>Year</th> <th>Continuation past growth in demand estimate</th> <th>Conservative demand estimate</th> <th>Supply Conservative estimate</th> </tr> </thead> <tbody> <tr> <td>1990</td> <td>20.0</td> <td>20.0</td> <td>20.0</td> </tr> <tr> <td>1995</td> <td>23.8</td> <td>23.8</td> <td>23.8</td> </tr> <tr> <td>2000</td> <td>28.4</td> <td>26.8</td> <td>28.4</td> </tr> <tr> <td>2010</td> <td>37.7</td> <td>33.2</td> <td>29.4</td> </tr> </tbody> </table> <p>Projection of demand and supply of dental visits, 2005 to 2020</p> <table border="1" style="margin-top: 10px;"> <caption>Projection of Demand and Supply (2005-2020)</caption> <thead> <tr> <th>Year</th> <th>Projected capacity to supply</th> <th>Projected demand, half PCD growth</th> </tr> </thead> <tbody> <tr> <td>2005</td> <td>29.5</td> <td>28.2</td> </tr> <tr> <td>2010</td> <td>32.0</td> <td>31.5</td> </tr> <tr> <td>2015</td> <td>35.0</td> <td>34.5</td> </tr> <tr> <td>2020</td> <td>38.4</td> <td>38.0</td> </tr> </tbody> </table> <p>Growth in capacity to supply dental visits is projected to closely match the growth in demand for dental visits, where growth in per capita demand will be half the rate observed across the period 1979 to 1995. This position reflects an attenuation of demand across 1995 to 2005 and substantial increases in recruitment of dentists leading to growth in capacity to supply visits through to 2020.</p>	Year	Continuation past growth in demand estimate	Conservative demand estimate	Supply Conservative estimate	1990	20.0	20.0	20.0	1995	23.8	23.8	23.8	2000	28.4	26.8	28.4	2010	37.7	33.2	29.4	Year	Projected capacity to supply	Projected demand, half PCD growth	2005	29.5	28.2	2010	32.0	31.5	2015	35.0	34.5	2020	38.4	38.0
2000	2010																																																					
28.4 million	29.4 million																																																					
1995	2010																																																					
23.8million	33.2–37.7million																																																					
2005	2020																																																					
29.5 million	38.4 million																																																					
	Half PCD Growth																																																					
2005	28.2 mil																																																					
2020	38.8 mil																																																					
Year	Continuation past growth in demand estimate	Conservative demand estimate	Supply Conservative estimate																																																			
1990	20.0	20.0	20.0																																																			
1995	23.8	23.8	23.8																																																			
2000	28.4	26.8	28.4																																																			
2010	37.7	33.2	29.4																																																			
Year	Projected capacity to supply	Projected demand, half PCD growth																																																				
2005	29.5	28.2																																																				
2010	32.0	31.5																																																				
2015	35.0	34.5																																																				
2020	38.4	38.0																																																				

Outcome Indicators	Workforce
	<p>ASSUMPTIONS:</p> <p>Demand projection assumptions:</p> <p>Half PCD growth - projected demand based on population growth and projected declining rates of edentulism and projected increase in visits per capita across 2005–2020 using half the rate of increase that had been previously observed in the period 1979 to 1995</p> <p>Supply projection-Inputs/assumptions: recruitment of domestic graduate dentists to increase from 237 across 2003–2008, 307 across 2009–2012 and 447 across 2013–2020. This represents the output of 8 dental schools (not including James Cook University). Increase in overseas trained dentists recruited to 207 across 2005 to 2020 and increase in allied dental professionals recruited to 287 from 2010 to 2020.</p> <p>Productivity assumption: productivity, in terms of visits supplied per annum, to continue to decline at the half the rate decline of previously observed in the period 1983/84 to 2003/04</p>

Outcome Indicators	Workforce																																								
<p>Indicator 22: Capacity to supply dental visits across all dental professionals</p> <ul style="list-style-type: none"> • Private/public • Major urban, urban, rural/remote <p>Source: ARCPOH National Dental Labour Force Collection</p> <p>Baseline: In 2003</p> <ul style="list-style-type: none"> ➤ Private 40.0 per 100,000 Public 7.5 per 100,000 ➤ Urban/Rural Major city 57.6 per 100,000 Inner regional 34.5 per 100,000 Outer regional 27.7 per 100,000 Remote 18.1 per 100,000 <p>Update: In 2005</p> <ul style="list-style-type: none"> ➤ Private 40.9 per 100,000 Public 8.1 per 100,000 ➤ Urban/Rural Major city 58.5 per 100,000 Inner regional 34.8 per 100,000 Outer regional 28.8 per 100,000 Remote 19.6 per 100,000 <p>Status: Compiled by ARCPOH from the National Dental Labour Force Data Collection conducted in collaboration with States/Territories and Dental Boards and ABS ERPs. Supported by AIHW</p>	<p>Practising dentists per 100,000 population in private, public and other practice by State/Territory, 2003</p>  <table border="1" data-bbox="598 795 1484 929"> <thead> <tr> <th></th> <th>NSW</th> <th>Vic</th> <th>Qld</th> <th>SA</th> <th>WA</th> <th>Tas</th> <th>NT</th> <th>ACT</th> <th>Aust</th> </tr> </thead> <tbody> <tr> <td>Other</td> <td>2.3</td> <td>0.3</td> <td>1.3</td> <td>0.9</td> <td>0.1</td> <td>0.3</td> <td>–</td> <td>–</td> <td>1.2</td> </tr> <tr> <td>Private</td> <td>42.3</td> <td>39.0</td> <td>36.9</td> <td>39.5</td> <td>41.9</td> <td>28.1</td> <td>23.9</td> <td>59.1</td> <td>40.0</td> </tr> <tr> <td>Public</td> <td>5.5</td> <td>7.1</td> <td>9.7</td> <td>14.1</td> <td>7.0</td> <td>4.5</td> <td>8.8</td> <td>7.6</td> <td>7.5</td> </tr> </tbody> </table>		NSW	Vic	Qld	SA	WA	Tas	NT	ACT	Aust	Other	2.3	0.3	1.3	0.9	0.1	0.3	–	–	1.2	Private	42.3	39.0	36.9	39.5	41.9	28.1	23.9	59.1	40.0	Public	5.5	7.1	9.7	14.1	7.0	4.5	8.8	7.6	7.5
	NSW	Vic	Qld	SA	WA	Tas	NT	ACT	Aust																																
Other	2.3	0.3	1.3	0.9	0.1	0.3	–	–	1.2																																
Private	42.3	39.0	36.9	39.5	41.9	28.1	23.9	59.1	40.0																																
Public	5.5	7.1	9.7	14.1	7.0	4.5	8.8	7.6	7.5																																
	<p>Practising dentists per 100,000 population in public, private and other practice, states/territories, 2005</p>  <table border="1" data-bbox="598 1624 1484 1780"> <thead> <tr> <th></th> <th>NSW</th> <th>Vic</th> <th>Qld</th> <th>SA</th> <th>WA</th> <th>Tas</th> <th>NT</th> <th>ACT</th> <th>Aust</th> </tr> </thead> <tbody> <tr> <td>Other</td> <td>0.9</td> <td>0.6</td> <td>0.2</td> <td>0.4</td> <td>0.4</td> <td>0.6</td> <td>0</td> <td>0</td> <td>0.6</td> </tr> <tr> <td>Private</td> <td>43.2</td> <td>39.5</td> <td>38.6</td> <td>53.5</td> <td>32.7</td> <td>26.8</td> <td>19.3</td> <td>67.1</td> <td>40.9</td> </tr> <tr> <td>Public</td> <td>7.2</td> <td>6.6</td> <td>10.3</td> <td>10.9</td> <td>8.6</td> <td>3.8</td> <td>14.1</td> <td>8.3</td> <td>8.1</td> </tr> </tbody> </table>		NSW	Vic	Qld	SA	WA	Tas	NT	ACT	Aust	Other	0.9	0.6	0.2	0.4	0.4	0.6	0	0	0.6	Private	43.2	39.5	38.6	53.5	32.7	26.8	19.3	67.1	40.9	Public	7.2	6.6	10.3	10.9	8.6	3.8	14.1	8.3	8.1
	NSW	Vic	Qld	SA	WA	Tas	NT	ACT	Aust																																
Other	0.9	0.6	0.2	0.4	0.4	0.6	0	0	0.6																																
Private	43.2	39.5	38.6	53.5	32.7	26.8	19.3	67.1	40.9																																
Public	7.2	6.6	10.3	10.9	8.6	3.8	14.1	8.3	8.1																																

Outcome Indicators	Workforce																		
	<p data-bbox="563 197 1469 255">Practising dentists per 100,000 population by Remoteness category of main practice, 2000, 2003 and 2005</p>  <table border="1" data-bbox="630 728 1497 869"> <thead> <tr> <th></th> <th>Major City</th> <th>Inner regional</th> <th>Outer regional</th> <th>Remote</th> <th>Australia</th> </tr> </thead> <tbody> <tr> <td>■ 2003</td> <td>57.6</td> <td>34.5</td> <td>27.7</td> <td>18.1</td> <td>48.7</td> </tr> <tr> <td>■ 2005</td> <td>58.5</td> <td>34.8</td> <td>28.8</td> <td>19.6</td> <td>49.5</td> </tr> </tbody> </table> <p data-bbox="927 884 1281 909">Remoteness area of main practice</p>		Major City	Inner regional	Outer regional	Remote	Australia	■ 2003	57.6	34.5	27.7	18.1	48.7	■ 2005	58.5	34.8	28.8	19.6	49.5
	Major City	Inner regional	Outer regional	Remote	Australia														
■ 2003	57.6	34.5	27.7	18.1	48.7														
■ 2005	58.5	34.8	28.8	19.6	49.5														